



1. PRODUCT	HYDRAULIC DOOR-CLOSER FOR PEDESTRIAN DOORS
2. REFERENCE	CTO 96
3. USE	Fire doors, anti-smoke and / or evacuation routes
4. MANUFACTURER	INTHER SYSTEMS EUROPE, S.A. Calle Travesía Nº 5, Nave nº 16 y 17 46220, Picassent, Valencia – Spain
5. EVALUATION SYSTEM	SYSTEM 1
6. NOTIFY BODY NUMBER	Element Materials Technology Rooterdam B.V. / Nº 2812
7. NUMBER OF CERTIFICATION	2812-CPR-AD5393
8. DECLARED PERFORMANCE	<p>EN 1154:1996/A1:2002/AC:2006 Building hardware. Controlled door closing devices. Requirements and test methods</p>  <p> 3 8 3/6 1* 1 3 </p> <p>CATEGORY OF USE ← Close from >105º</p> <p>DURABILITY ← 500.000 cycles</p> <p>DOOR-CLOSER FORCE ← Force 3/6</p> <p>FIRE-RESISTANCE ← Suitable for fire doors and / or smoke-doors</p> <p>PERSONAL SAFETY ← Suitable</p> <p>CORROSION RESISTANCE ← High corrosion resistance (96 hours)</p>
9. DANGEROUS SUBSTANCES	The materials of the products do not contain or release any dangerous substance in excess of the maximum specified in European standards in normal use levels.
10. RESPONSABILITY	This declaration of performance is issued under the sole responsibility of INTHER SYSTEMS EUROPE, S.A., Ensuring compliance with the declared performances of the specified product.
Valencia, November 2020	 INTHER SYSTEMS EUROPE, S.A.