

1. PRODUCT	DOOR COORDINATOR FOR USE ON DOUBLE LEAF DOORS
2. REFERENCE	CT0097522
3. USE	Fire doors, anti-smoke and / or evacuation routes
4. MANUFACTURER	INTHER SYSTEMS EUROPE, S.A. Calle Travesía Nº 5, Nave nº 16 y 17 46220, Picassent, Valencia – Spain
5. EVALUATION SYSTEM	SYSTEM 1
6. NOTIFY BODY NUMBER	Element Materials Technology Rooterdam B.V. / Nº 2812
7. NUMBER OF CERTIFICATION	2812-CPR-AF5002
8. DECLARED PERFORMANCE	UNE-EN 1158:1997/A1:2002/AC:2006 Building hardware - Door coordinator devices - Requirements and test methods. 3 Category of use 3 8 500.000 cycles 3/5 Size 3/5 1* Suitable for fire doors and / or smoke-doors 1 Suitable 0 Perfomanced no determined - PND
9. DANGEROUS SUBSTANCES	The materials of the products do not contain or release any dangerous substance in excess of the maximum specified in European standards in normal use levels.
10. RESPONSABILITY	This declaration of performance is issued under the sole responsibility of INTHER SYSTEMS EUROPE, S.A., Ensuring compliance with the declared performances of the specified product.
Valencia, 30 November 2020	 INTHER SYSTEMS EUROPE, S.A.